



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. BOX 130
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/822,534

04/12/2004

James D. Kelly

BP3249

3346

51472

7590

02/01/2007

GARLICK HARRISON & MARKISON

P.O. BOX 160727

AUSTIN, TX 78716-0727

EXAMINER

SURYAWANSHI, SURESH

ART UNIT

PAPER NUMBER

2115

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
--	-----------	---------------

3 MONTHS

02/01/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Office Action Summary

Application No.

10/822,534

Applicant(s)

KELLY, JAMES D.

Examiner

Suresh K. Suryawanshi

Art Unit

2115

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 11/13/06 amendments.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1 and 3-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1 and 3-20 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. Claims 1 and 3-20 are presented for examination.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

3. Claims 1 and 3-20 are rejected under 35 U.S.C. 102(b) as being anticipated by Rozario et al (US Patent 6,345,328; hereinafter Rozario).

4. As per claim 1, Rozario discloses an apparatus comprising:

a first clock domain to operate at a first clock frequency [Fig. 7; col. 3, lines 10-12; a first clock domain; col. 6, lines 56-65; col. 10, lines 8-12];

a second clock domain to operate at a second clock frequency [Fig. 7; col. 3, lines 10-12; a second clock domain; col. 6, lines 56-65; col. 10, lines 8-12]; and

an interface disposed between the first and second clock domains to control timing of

Art Unit: 2115

data transfer from one of the first or second clock domains to other of the first or second clock domains [Fig. 3, 5, 7; Gear Box Module], the interface to allow for a programmable ratio setting capability of a frequency ratio between the first and second clock domains which is not an integer ratio and to allow changing of a selected frequency ration between the first and second clock domains [col. 3, lines 10-27; col. 6, lines 56-65; col. 10, lines 8-12; col. 13, lines 20-28].

5. As per claim 9, Rozario discloses an integrated circuit comprising:

a first clock domain to operate at a first clock frequency [Fig. 7; col. 3, lines 10-12; a first clock domain; col. 6, lines 56-65; col. 10, lines 8-12];

a second clock domain to operate at a second clock frequency [Fig. 7; col. 3, lines 10-12; a second clock domain; col. 6, lines 56-65; col. 10, lines 8-12]; and

an interface disposed between the first and second clock domains to control timing of data transfer in both directions between the first clock domain and the second clock domain [Fig. 3, 5, 7; Gear Box Module], the interface to allow for programmable ratio setting capability of a frequency ratio between the first and second clock domains which is not an integer ratio and to allow changing of a selected frequency ratio between the first and second clock domains [col. 3, lines 10-27; col. 6, lines 56-65; col. 10, lines 8-12; col. 13, lines 20-28].

6. As per claim 15, Rozario discloses a method comprising:

generating a first clock signal having a first frequency to a first clock domain [Fig. 7; col. 3, lines 10-12; a first clock domain; col. 6, lines 56-65; col. 10, lines 8-12];

generating a second clock signal having a second clock frequency to a second clock domain, a ratio between the first clock frequency to the second clock frequency being a non-integer ratio [Fig. 7; col. 3, lines 10-12; a second clock domain; col. 6, lines 56-65; col. 10, lines 8-12]; and

using an interface disposed between the first and second clock domains to control timing of data transfer from the first clock domain to the second clock domain [Fig. 3, 5, 7; Gear Box Module], the interface having a ratio setting capability that may be programmably changed to set a particular frequency ratio for the data transfer based on a ratio of the first clock frequency to the second clock frequency [col. 3, lines 10-27; col. 6, lines 56-65; col. 10, lines 8-12; col. 13, lines 20-28].

7. As per claim 3, Rozario discloses that the interface is to allow for a granularity of 0.25 in the selected frequency ratio between the first and second clock domains [col. 3, lines 10-27; col. 6, lines 56-65; col. 10, lines 8-12; col. 13, lines 20-28; a 1.5 gear ratio].

8. As per claims 4, 10 and 16, Rozario discloses that the first clock domain is a bus domain and the second domain is a circuit operably coupled to the bus domain [col. 2, lines 28-40; col. 5, lines 36-45; a core clock domain and a PCI bus domain and an accelerated graphics port (AGP) clock domain].

9. As per claim 5, Rozario discloses that the interface to allow for data transfer in both directions in which first domain operates at a faster frequency than the second domain [col. 10, lines 8-12; from a higher frequency clock domain to a lower frequency clock domain].

10. As per claims 6 and 14, Rozario discloses that the interface includes a control circuit to set the frequency ratio and at least one latching circuit to latch data through the interface from one clock domain to the other clock domain [col. 7, lines 5-51; col. 10, lines 8-50].

11. As per claim 7, Rozario discloses including a plurality of latching circuits, in which separate latching circuits are to be used to transfer data in a particular direction between the first and second clock domains [col. 7, lines 5-51; col. 10, lines 8-50].

12. As per claim 8, Rozario discloses that the control circuit of the interface further includes a first and second ratio generators in which the first ratio generator is to be used to generate control signals to the latching circuits, if a ratio difference is below a particular ratio and the second ratio generator is to be used to generate control signals to the latching circuits if the ratio

Art Unit: 2115

difference is equal to or above the particular ratio [col. 6, line 56 -- col. 7, line 51; col. 10, lines 8-50].

13. As per claim 11, Rozario discloses that the first and second domains are synchronized from a same clock source, but in which the first domain operates at a faster clock frequency than the second domain [col. 10, lines 8-50].

14. As per claim 12, Rozario discloses that the interface is to allow for a frequency ratio of $N:4$, where N is an integer, to have a granularity 0.25 for the selected frequency ratio between the first and second clock domains [col. 3, lines 10-27; col. 6, lines 56-65; col. 10, lines 8-12; col. 13, lines 20-28; a 1.5 gear ratio].

15. As per claim 13, Rozario discloses including a plurality of additional clock domains operably coupled to the bus domain and in which a separate interface is disposed between the bus domain and the additional domains, the interfaces made programmable to allow selection of different frequency ratios to be programmably selected between the bus domain and the additional domains [Fig. 3, 5, 7; Gear Box Module; col. 3, lines 10-27; col. 6, lines 56-65; col. 10, lines 8-12; col. 13, lines 20-28].

16. As per claim 17, Rozario discloses that the interface is to allow for a frequency ratio of $N:4$, where N is an integer, to have a granularity 0.25 for the frequency ratio between the first

Art Unit: 2115

and second clock domains [col. 3, lines 10-27; col. 6, lines 56-65; col. 10, lines 8-12; col. 13, lines 20-28; a 1.5 gear ratio].

17. As per claim 18, Rozario discloses including a plurality of additional clock domains operably coupled to the bus domain and in which a separate interface is disposed between the bus domain and the additional domains, each respective interface made programmable to allow selection of different frequency ratios to be selected between the bus domain and the additional domains [Fig. 3, 5, 7; Gear Box Module; col. 3, lines 10-27; col. 6, lines 56-65; col. 10, lines 8-12; col. 13, lines 20-28].

18. As per claim 19, Rozario discloses including latching data from the bus domain to the second domain by counting a difference in the clock pulses based on the particular frequency ratio and skipping certain ones of excess clock pulses to have a one-to-one data transfer timing between the two clock domains [col. 6, line 56 -- col. 9, line 15; col. 10, line 8 -- col. 12, line 12].

19. As per claim 20, Rozario discloses including latching data from, the bus domain to the second domain by counting a difference in the edges based on the particular frequency ratio and skipping certain ones of excess clock edges to have a one-to-one data transfer timing between the two clock domains [col. 6, line 56 -- col. 9, line 15; col. 10, line 8 -- col. 12, line 12].

Art Unit: 2115

Response to Arguments


20. Applicant's arguments with respect to claims 1 and 3-20 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Suresh K. Suryawanshi whose telephone number is 571-272-3668. The examiner can normally be reached on 9:00am - 5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas C. Lee can be reached on 571-272-3667. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



SURESH K SURYAWANSHI